

The LCBP range of LENZ Box and Pan Folders is available in up to 2.5mm thickness capacity and a maximum of 3050mm length. The counter balance weights assist the operator in performing the bend while the gas struts, which are fitted from the LCBP 2050/2.5 model upwards, greatly increase operator safety and prevent sudden closure of the beam. The LCBP range have 45° angled fingers which are hardened and ground and supplied in varying widths for ultimate versatility.

## Machine Features

- Counterbalance weights assist operator
- Gas struts for safe operation (except LCBP 1220/2.5)
- Adjustable angle stops
- 45° hardened and ground fingers
- Various finger widths supplied



LCBP 2040/2.5



LCBP 1220/2.5



LCBP 2540/2.5

### GAS SAFETY STRUT



Box and pan folding technology page 86.

## TECHNICAL SPECIFICATIONS

MODEL STOCK CODE		LCBP 1220/2.5 M2002	LCBP 2040/2.5 M2003	LCBP 2540/2.5 M2004	LCBP 3050/2.0 M2005
Capacity	mm	2.5	2.5	2.5	2.0
Bending Length	mm	1220	2040	2540	3050
Maximum Folding Angle		135°	135°	135°	135°
Quantity & Size of Fingers	mm	6 x 76	2 x 76, 2 x 104, 3 x 127, 3 x 158,	1 x 63, 1 x 76, 1 x 89, 1 x 102,	3 x 76, 3 x 127, 3 x 153, 3 x 254,
		5 x 127	3 x 287	3 x 127, 4 x 152, 4 x 305	4 x 305
Length	mm	1800	2500	3000	3500
Width	mm	650	640	700	720
Height	mm	1200	1050	1100	1120
Weight	Kg	520	890	1190	1490